

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) A patient physiologic monitoring assembly comprising:  
a plurality of sensors generating a real-time physiologic data stream, said real-time physiologic data stream including a plurality of physiologic variables;  
a first logic rule set including a plurality of logic rules for interpreting the plurality of physiologic variables;  
a second logic rule set including a plurality of logic rules for interpreting the physiologic variables; and  
a controller receiving said real-time physiologic data stream, said controller including a logic adapted to  
cross reference said plurality of physiologic variables with the first logic rule set and second logic rule set; and  
generate at least a first diagnostic interpretation of said plurality of physiologic variables utilizing said first logic rule set and a second diagnostic interpretation of said plurality of physiologic variable utilizing the said second logic rule set.
2. (Previously Presented) A patient physiologic monitoring assembly as described in claim 1, wherein said logic is further adapted to display said first and second diagnostic interpretations on a display element.
3. (Previously Presented) A patient physiologic monitoring assembly as described in claim 1, wherein said logic is further adapted to select said first logic rule set and said second logic rule set from a rules database, said rules database including a plurality of logic rule sets.
4. (Cancelled)

5. (Previously Presented) A patient physiologic monitoring assembly as described in claim 3, wherein said logic is further adapted to modify one of said plurality of logic rules within said first logic rule set.
6. (Original) A patient physiologic monitoring assembly as described in claim 5, wherein said modification comprises editing one of said plurality of logic rules.
7. (Original) A patient physiologic monitoring assembly as described in claim 5, wherein said modification comprises deleting one of said plurality of logic rules.
8. (Original) A patient physiologic monitoring assembly as described in claim 5, wherein said modification comprises adding a new logic rule to said first logic rule set.
9. (Previously Presented) A patient physiologic monitoring assembly as described in claim 3, wherein said logic is further adapted to add a new logic rule set to said rules database.
10. (Original) A patient physiologic monitoring assembly as described in claim 1, further comprising a plurality of networked medical facilities in communication with said controller such that said first logic rule set may be received from any of said plurality of networked medical facilities.
11. (Currently Amended) A method for providing diagnostic aid to a clinician monitoring the medical condition of a patient, the method comprising:
  - storing a plurality of sets of rule-based algorithms capable of generating a different diagnostic interpretation of the same physiological data;
  - acquiring a physiological data stream ~~relating to the patient~~ from at least one sensor connected to the patient;
  - applying at least one rule-based algorithm from a first set ~~of the~~ of the rule-based algorithms to the acquired physiological data stream;

generating a first diagnostic interpretation based on the application of the at least one rule-based algorithm from the first set to the acquired physiological data stream;

displaying the first diagnostic interpretation to the clinician;

applying at least one rule-based algorithm ~~from~~ from a second ~~et~~ set of the rule-based algorithms to the acquired physiological data stream;

generating a second diagnostic interpretation based on the application of the at least one rule-based algorithm from the second set to the acquired physiological data stream; and

displaying the second diagnostic interpretation to the clinician.

12. (Currently Amended) The method of claim 11, further comprising wherein determining the first set of rule based algorithms to apply to the acquired physiological data stream ~~which algorithm to apply comprises~~ comprising displaying a list of choices to a clinician and receiving a clinician input indicative of a selection made by the clinician.

13. (Currently Amended) The method of claim 11, ~~wherein~~ further comprising determining the first set of ~~which~~ rule-based algorithm to apply total acquired physiological data stream ~~comprises~~ comprising receiving the real-time physiological data stream, ~~relating to a characteristic of the patient~~, and selecting a rule-based algorithm to apply based on the electronic logical analysis of the received real-time physiological data stream, ~~relating to the characteristic of the patient~~.

14. (Currently Amended) The method of claim 13, wherein acquiring a real-time physiological data stream ~~relating to the patient~~ comprises acquiring vital signs data.

15. (Cancelled)

16. (Currently Amended) The method of claim 11, further comprising:  
storing the plurality of rule-based algorithms at a geographically  
remote location; and  
transferring the rule-based algorithm that is to be applied from the remote location.

17. (Original) The method of claim 11, wherein generating a response based on the application of at least one of the plurality of rule-based algorithms comprises generating an alarm.

18-27. (Cancelled)

28. (Currently Amended) The method of claim 72, further comprising generating a certainty score for each of the general diagnostic interpretations.

29-67. (Cancelled)

68. (Previously Presented) A patient physiologic monitoring assembly as described in claim 2, wherein said logic is further adapted to receive a selection of the first diagnostic interpretation or the second diagnostic interpretation from a clinician.

69. (Currently Amended) The method of claim 11 wherein the plurality of rules of the first rule set are directed towards a general first-type of diagnostic interpretation identifying a target body system and the plurality of rules of the second rule set are directed towards creating a specific a-second-type of diagnostic interpretation of a condition within a targeted body system.

70. (Cancelled)

71. (Currently Amended) The method of claim ~~70~~ 69 wherein the general diagnostic interpretation identifies the cardiac system and the second-type of specific diagnostic interpretation is a identifies a cardiological condition. ~~diagnostic interpretation.~~

72. (Currently Amended) A method for diagnosing the medical condition of a patient, the method comprising:

acquiring at least one real-time patient physiological data stream;

applying a first rule set comprising a plurality of rule-based algorithms to the acquired at least one real-time physiological data stream~~patient data~~, the first rule set comprising rule-based algorithms directed to producing at least one general diagnostic interpretation of the ~~patient data~~ at least one real-time physiological data stream based on the application of the first rule set;

evaluating the at least one general diagnostic interpretation to select a second rule set comprising a plurality of rule-based algorithms directed to producing at least one specific diagnostic interpretation;

applying the selected second rule set to the ~~acquired patient data~~ at least one real-time physiological data stream;

generating at least one specific diagnostic interpretation of the at least one real-time physiological data stream ~~patient data~~ based on the application of the second rule set;

displaying at least one of the generated specific diagnostic interpretations of the ~~patient data based on the application of the second rule set.~~

73. (Currently Amended) The method of claim 72 wherein at least one general diagnostic interpretation identifies the cardiac system and the at least one ~~the~~ specific diagnostic interpretation is diagnosis of a specific cardiological condition~~.cardiological diagnostic interpretation.~~

74. (Currently Amended) A method of monitoring the medical condition of a patient, comprising:

storing a plurality of rule sets in a geographically diffuse manner, each of the plurality of geographically diffuse rule sets being configured to produce an independent diagnostic interpretation when applied to the same physiological data;

acquiring real-time physiological data streams from a plurality of sensors coupled to the patient, the plurality of sensors acquiring real-time physiological data streams relating to a plurality of ~~more than one~~ patient characteristics;

selecting a first rule set from the plurality of geographically diffuse rules sets to be applied to the real-time ~~based on the acquired~~ physiological data streams;

applying the selected first rule set to the acquired real-time physiological data streams;  
generating a first diagnostic interpretation based on the application of the first rule set to the real-time physiological data streams;

selecting a second rule set from the plurality of geographically diffuse rule sets to be applied to the real-time physiological data streams;

applying the second rule set to the acquired real-time physiological data streams; and  
generating a second diagnostic interpretation based on the application of the second rule set to the real-time physiological data streams.

75. (Currently Amended) The method of monitoring the medical condition of a patient of claim 74 wherein the ~~second~~ first rule set generates a general diagnostic interpretation and the second rule set generates a specific diagnostic interpretation. ~~is selected based on the first diagnostic interpretation.~~

76. (Currently Amended) A system for using rule based algorithms, comprising:

~~a data storage device configured to store a plurality of rule sets comprising a plurality of rule based algorithms;~~

a data acquisition device configured to acquire a real-time physiological data stream data from a patient through a plurality of electrodes coupled to the patient;

a controller that receives and processes the acquired real-time physiological data stream; ~~data~~;

at least one remote database, the at least one remote database comprising a plurality of rule sets, each comprising a plurality of rule-based algorithms;

a network connection connected to the controller and the at least one remote database such that the plurality of rule sets are transferred from the at least one remote database to the controller;

~~a first logic configured to that~~ selects a first rule set from the ~~data-storage device at least one remote database~~ to be applied to the acquired real-time physiological data stream; ~~data, the rule set being selected based on the acquired data; and~~

~~a second logic configured to that~~ selects a second rule set from the ~~data-storage device at least one remote database~~ to be applied to the acquired real-time physiological data stream; ~~data, the second rule set being selected based on the acquired data;~~

wherein the controller receives the selected first rule set and second rule set, applies the first rule set to the acquired real-time physiological data stream data to produce a first diagnostic interpretation, ~~of the acquired data~~, and applies the second rule set to the acquired real-time physiological data stream data to produce a second diagnostic interpretation of the acquired data.

77. (New) The system of claim 76 further comprising:

a rule set acquisition logic that acquires the first rule set and the second rule set from the at least one remote database; and

a bill generator connected to the rule set acquisition logic such that the bill generator is notified of the acquired first and second rule sets and generates a bill for the acquired first and second rule sets at a predetermined fee.

78. (New) The system of claim 77 wherein the real-time physiological data stream is a biopotential signal.

79. (New) The system of claim 76 wherein the first rule set is selected based on an analysis of the acquired real-time physiological data, and the second rule set is selected based on the selection of the first rule set.

80. (New) The system of claim 79 wherein the first logic receives a clinician selection of the first rule set and the second logic receives a clinician selection of the second rule set.

81. (New) The method of claim 72 wherein the at least one real-time physiological data stream is a biopotential signal.

82. (New) The method of claim 81 further comprising the steps of:  
retrieving the first rule set from a remotely located database comprising a plurality of rule sets; and  
retrieving the second rule set from a remotely located database comprising a plurality of rule sets.

83. (New) The method of claim 82 further comprising the steps of:  
prompting a clinician for a selection of the first rule set;  
receiving a clinician for a selection of the first rule set;  
prompting a clinician for a selection of the second rule set;  
receiving a clinician for a selection of the second rule set.

84. (New) The method of claim 12 further comprising:  
determining the second set of rule-based algorithms to apply to the acquired physiological data stream;  
displaying a list of choices to a clinician; and  
receiving a clinician input indicative of a selection made by the clinician.